Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"10/696144"	US-PGPUB	ADJ	ON	2007/07/16 10:01
L2	1	"10/749766"	US-PGPUB	ADJ	ON	2007/07/16 10:01
L3	11	("6,452,823" "6,412,044" "6,215, 685" "6,223,248" "5,841,961" "5, 226,009" "6,408,345" "5,513,335" "5,497,473" "5,469,555" "5,165, 029").pn.	USPAT	OR	ON	2007/07/16 10:01
L4	1	"10/749900"	US-PGPUB	ADJ	ON	2007/07/16 10:01
L5	29980	hynix.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:01
L6	2	(tag and initializ\$5) and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:01
L7	16	tag with (reduc\$3 or minimiz\$3 or decreas\$3) with (initializ\$5 or start\$3 or start\$3-up) near3 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:01
L8	222	(tag and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:25
L9	3	((tag adj2 (block or cell)) and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:01
L10	0	(tag and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab. and (711/???.ccls. or 365/?????.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:01

- 14

L11	7	tag with (reduc\$3 or minimiz\$3 or decreas\$3) with (initializ\$5 or start\$3 or start\$3 up or start\$3-up) and (711/???.ccls. or 365/?????. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:01
L12	58	(number or many or multiple or several or each) near3 (tag adj2 (table or journal or log)) and (initializ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2007/07/16 10:01
L13	4	(number or many or multiple or several or each) near3 (tag adj2 (table or journal or log)) same (initializ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:01
L14	12	(number or many or multiple or several or each) near3 (tag adj2 (table or journal or log)) and (initializ\$5) and (711/???.ccls. or 365/?????.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:01
L15	98	(cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10 01
L16		(711/105.ccls. or 711/108.ccls. or 711/202.ccls. or 711/203.ccls. or 365/?????.ccls.) and (tag near3 (block or cell) same initializ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L17		((tag adj2 (register)) and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L18	4	"20050111284" or "6557080".pn. or "6286075".pn. or "6697909".pn.	US-PGPUB; USPAT	ADJ	ON	2007/07/16 10:02
L19	11	("6,452,823" "6,412,044" "6,215, 685" "6,223,248" "5,841,961" "5, 226,009" "6,408,345" "5,513,335" "5,497,473" "5,469,555" "5,165, 029").pn.	USPAT	OR	ON	2007/07/16 10 02

	·		· · · · · · · · · · · · · · · · · · ·			· -
L20	3097	hynix.as.	US-PGPUB; USPAT	ADJ	ON	2007/07/16 10:02
L21	178	hynix.as. and normal.clm.	US-PGPUB; USPAT	ADJ	ON	2007/07/16 10:02
L22	9	hynix.as. and normal.clm. and initializ\$5.clm.	US-PGPUB; USPAT	ADJ	ON	2007/07/16 10:02
L23	. 0	hynix.as. and normal.clm. and nullifying.clm.	US-PGPUB; USPAT	ADJ	OM .	2007/07/16 10 02
L24	<u>6</u> 0	normal.clm. and nullifying.clm.	US-PGPUB; USPAT	ADJ	ON	2007/07/16 10 02
L25	6	(normal operation).clm. and nullifying.clm.	US-PGPUB; USPAT	ADJ	ON	2007/07/16 10:02
L26	1	(normal).clm. and nullifying.clm. and tag.clm.	US-PGPUB; USPAT	ADJ	ON	2007/07/16 10:02
L27	241	(normal).clm. and operation.clm. and tag.clm.	US-PGPUB; USPAT	ADJ	ON	2007/07/16 10:02
L28	66	(normal).clm. and operation.clm. and tag.clm. and physical.clm.	US-PGPUB; USPAT	ADJ	ON	2007/07/16 10:02
L29	11	(normal).clm. and operation.clm. and tag.clm. and physical.clm. and address.clm.	US-PGPUB; USPAT	ADJ	ON	2007/07/16 10:02
L30	2	initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3) near10 (tag near4 (table or journal or log)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L31	114	initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10 27
L32	30	initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3)) with (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L33	94	((select\$3 or choos\$3)) with (tag near6 (table or journal or log)) and ((sotr\$3 or sav\$3 or retain\$3) with (cell or block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02

:

7/16/2007 10:34:04 AM
C:\Documents and Settings\cwalter\My Documents\EAST\Workspaces\10.749900.wsp1

L34	345	(control\$4 and tag and (block or memory or cell or register)) .ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L35	85	(control\$4 and tag adj2 (block or memory or cell or register)) .ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L36	9	(control\$4 and tag adj2 (block or memory or cell or register)) .ti. and (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L37	1	(initializ\$4 near3 tag adj2 (block or memory or register or cell)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10 02 : +## >1
L38	35	(initializ\$4 near3 tag adj2 (block or memory or register or cell))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2007/07/16 10:02
L39	. 24	(initializ\$4 near3 tag adj2 (block or memory or register or cell)) and (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L40	1	"20040085835"	US-PGPUB	ADJ	ON	2007/07/16 10 02
L41	30	initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3)) with (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2007/07/16 10:02
L42	35	(initializ\$4 near3 tag adj2 (block or memory or register or cell))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02

			•			•
L43	58	(number or many or multiple or several or each) near3 (tag adj2 (table or journal or log)) and (initializ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L44	94	((select\$3 or choos\$3)) with (tag near6 (table or journal or log)) and ((sotr\$3 or sav\$3 or retain\$3) with (cell or block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10 02
L45	98	(cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:28
L46	9.	(control\$4 and tag adj2 (block or memory or cell or register)) .ti. and (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ `	ON	2007/07/16 10:02
L47	1	"5584003".pn.	USPAT	ADJ	ON	2007/07/16 10:02
L48	98	(cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L49	24	(initializ\$4 near3 tag adj2 (block or memory or register or cell)) and (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10 02
L50	30	initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3)) with (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L51	131	tag (block or cell) and (logical with physical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02

EAST Search History L52 21 tag (table) and (logical with US-PGPUB; ON 2007/07/16 10:02 ADJ physical) near4 address USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB L53 US-PGPUB; tag with (reduc\$3 or minimiz\$3 or ADJ ON 2007/07/16 10:02 decreas\$3) with (initializ\$5 or USPAT; start\$3 or start\$3 up or start\$3-up) USOCR; near3 time EPO; JPO; DERWENT; IBM_TDB 2007/07/16 10:02 L54 4 US-PGPUB; ADJ ON ((tag adj2 (register)) and (reduc\$3 or minimiz\$3 or decreas\$3) and USPAT; (initializ\$5 or start\$3 or start\$3 up USOCR; EPO; JPO; or start\$3-up)).ab. DERWENT; IBM_TDB 2007/07/16 10:02 L55 **US-PGPUB:** ADJ ON (cell or block or segment or page or sector or chunk) with((table or USPAT; journal or log) near6 tag) with USOCR; (word near4 line) with (row near4 EPO; JPO; DERWENT; address) IBM TDB US-PGPUB; **ADJ** ON 2007/07/16 10:02 L56 75 (cell or block or segment or page or sector or chunk) with((table or USPAT; journal or log) near6 tag) and USOCR: (word near4 line) and (row near4 EPO; JPO; DERWENT; address) IBM TDB US-PGPUB; ADJ ON 2007/07/16 10:02 tag (block or cell) and (logical with L57 68 physical) near4 address USPAT: USOCR; FPRS: EPO; JPO; DERWENT; IBM_TDB US-PGPUB; ADJ ON (initializ\$4 near3 tag adj2 (block or 2007/07/16 10:02 L58 -24 memory or register or cell)) and USPAT; (table or journal or log) USOCR; EPO; JPO; DERWENT; IBM_TDB ((tag.adj2 (register)) and (reduc\$3 US-PGPUB; L59 ADJ ON 2007/07/16 10:02 . or minimiz\$3 or decreas\$3) and USPAT; (initializ\$5 or start\$3 or start\$3 up USOCR; or start\$3-up)).ab. EPO; JPO;

> DERWENT; IBM_TDB

7/16/2007 10:34:04 AM
C:\Documents and Settings\cwalter\My Documents\EAST\Workspaces\10.749900.wsp

L60	30	initializ\$5 with (tag adj3 (block or cell or memory or register)) and	US-PGPUB; USPAT;	ADJ	ON	2007/07/16 10:02
		((select\$3 or choos\$3)) with (table or journal or log)	USOCR; EPO; JPO; DERWENT; IBM_TDB			H H
L61	21	tag (table) and (logical with physical) near4 address	US-PGPUB; USPAT; USOCR; FPRS;	ADJ	ON	2007/07/16 10:02
			EPO; JPO; DERWENT; IBM_TDB		·	
L62	75	(cell or block or segment or page or sector or chunk) with((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L63	16	tag with (reduc\$3 or minimiz\$3 or decreas\$3) with (initializ\$5 or start\$3 or start\$3 up or start\$3-up) near3 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2007/07/16 10:02
L64	98	(cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L65	8	(cell or block or segment or page or sector or chunk) with((table or journal or log) near6 tag) with (word near4 line) with (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L66	68	tag (block or cell) and (logical with physical) near4 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L67	4	((tag adj2 (register)) and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16, 10:02

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L68	98	(cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:10
L69	131	tag (block or cell) and (logical with physical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L70	131	tag (block or cell) and (logical with physical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:02
L72	235	(tag and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2007/07/16 10:25
L73	34	(tag and (reduc\$3 or minimiz\$3 or decreas\$3) with (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:25
L74	7	(initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:27
L75	4	((cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/16 10:34

